


CCR9 Antibody (R31235)

Catalog No.	Formulation	Size
R31235	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

[Bulk quote request](#)

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity
Buffer	Lyophilized from 1X PBS with 2.5% BSA and 0.025% sodium azide/thimerosal
UniProt	P51686
Applications	Western Blot : 0.5-1ug/ml
Limitations	This CCR9 antibody is available for research use only.



Western blot testing of CCR9 antibody and Lane 1: Jurkat; 2: HeLa; 3: SMMC-7721 cell lysate. Expected/observed size ~43KD

Description

C-C chemokine receptor type 9, also called GPR-9-6 or CDw199, is a protein that in humans is encoded by the CCR9 gene. The protein encoded by this gene is a member of the beta chemokine receptor family. By radiation hybrid analysis and organization of BAC contigs by FISH on combed genomic DNA, the gene within the CCR cluster was localized at 3p21.3. It is the receptor for chemokine SCYA25/TECK. This gene subsequently transduces a signal by increasing the intracellular calcium ions level. It is an alternative coreceptor with CD4 for HIV-1 infection. CCR9 may play a role in the thymocytes recruitment and development that may permit functional specialization of immune responses in different segment of the gastrointestinal tract.

Application Notes

The stated application concentrations are suggested starting amounts. Titration of the CCR9 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

An amino acid sequence from the N-terminus of human CCR9 (MTPTDFTSIPNMADDY) was used as the immunogen for this CCR9 antibody.

Storage

After reconstitution, the CCR9 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.