


## Cystatin 8 Antibody (R33572)

Catalog No.	Formulation	Size
R33572-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

[Bulk quote request](#)

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Clonality	Polyclonal (goat origin)
Isotype	Goat Ig
Purity	Antigen affinity
Gene ID	10047
Applications	Western Blot 0.3-1ug/ml : ELISA (peptide) LOD : 1:64000
Limitations	This Cystatin 8 antibody is available for research use only.



Western blot testing of HEK293 lysate overexpressing human CST8-MYC probed with Cystatin 8 antibody [0.3ug/ml] in Lane A and anti-MYC [1/1000] in lane C. Mock-transfected HEK294 probed with Cystatin 8 antibody [1ug/ml] in Lane B.

## Description

Additional name(s) for this target protein: CST8

## Application Notes

Optimal dilution of the Cystatin 8 antibody should be determined by the researcher.

## Immunogen

Amino acids DPKKNETGVLRK were used as the immunogen for this Cystatin 8 antibody.

## Storage

Aliquot and store the Cystatin 8 antibody at -20oC.