


## IDNK Antibody / C9orf103 (F53822)

Catalog No.	Formulation	Size
F53822-0.2ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.2 ml
F53822-0.05ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.05 ml

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit Ig
<b>Purity</b>	Antigen affinity
<b>UniProt</b>	Q5T6J7
<b>Applications</b>	Western Blot : 1:4000-8000
<b>Limitations</b>	This IDNK antibody is available for research use only.



Western blot testing of human 1) NCI-H460 and 2) DU-145 cell lysate with IDNK antibody at 1:8000. Predicted molecular weight: 21 kDa.

## Description

This protein is involved in the pathway D-gluconate degradation, which is part of carbohydrate acid metabolism.

## Application Notes

Titration of the IDNK antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

A portion of amino acids 11-45 from the human protein was used as the immunogen for the IDNK antibody.

## **Storage**

Aliquot the IDNK antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.