


IL17RB Antibody (F49849)


| Catalog No. | Formulation | Size |
|---------------|--|---------|
| F49849-0.4ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.4 ml |
| F49849-0.08ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.08 ml |

[Bulk quote request](#)


| | |
|---------------------------|---|
| Availability | 1-3 business days |
| Species Reactivity | Human |
| Format | Purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit Ig |
| Purity | Purified |
| UniProt | Q9NRM6 |
| Applications | Western Blot : 1:1000 IHC (Paraffin) : 1:10-1:50 Flow Cytometry : 1:10-1:50 |
| Limitations | This IL17RB antibody is available for research use only. |



Western blot analysis of IL17RB antibody and MDA-MB468 lysate.



IHC analysis of FFPE human colon carcinoma stained with IL17RB antibody



Flow cytometric analysis of HepG2 cells using IL17RB antibody (bottom histogram) compared to a negative control (top histogram). FITC-conjugated goat-anti-rabbit secondary Ab was used for the analysis.

Description

IL17RB is a cytokine receptor. This receptor specifically binds to IL17B and IL17E, but does not bind to IL17 and IL17C. This receptor has been shown to mediate the activation of NF-kappaB and the production of IL8 induced by IL17E.

Application Notes

Titration of the IL17RB antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 207-234 from the human protein was used as the immunogen for this IL17RB antibody.

Storage

Aliquot the IL17RB antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.