


JAK2 Antibody (F41333)


Catalog No.	Formulation	Size
F41333-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F41333-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

[Bulk quote request](#)


Availability	1-3 business days
Species Reactivity	Human, Mouse
Format	Purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Purified
UniProt	O60674
Applications	Western Blot : 1:1000 Immunofluorescence : 1:10-1:50 Flow Cytometry : 1:10-1:50
Limitations	This JAK2 antibody is available for research use only.



Confocal immunofluorescent analysis of JAK2 antibody with HeLa cells followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used as a nuclear counterstain (blue).



JAK2 antibody used in western blot to detect JAK2 in mouse thymus tissue lysate.
Predicted molecular weight ~130 kDa



JAK2 antibody flow cytometric analysis of K562 cells (green) compared to a negative control (blue). FITC-conjugated goat-anti-rabbit secondary Ab was used for the analysis.

Description

This gene product is a protein tyrosine kinase involved in a specific subset of cytokine receptor signaling pathways. It has been found to be constitutively associated with the prolactin receptor and is required for responses to gamma interferon. Mice that do not express an active protein for this gene exhibit embryonic lethality associated with the absence of definitive erythropoiesis.

Application Notes

Titration of the JAK2 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 1101-1132 from the human protein was used as the immunogen for this JAK2 antibody.

Storage

Aliquot the JAK2 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.