


## 14-3-3 sigma Antibody (R33530)


Catalog No.	Formulation	Size
R33530-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Predicted Reactivity</b>	Dog, Mouse, Pig, Rat
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal (goat origin)
<b>Isotype</b>	Goat Ig
<b>Purity</b>	Antigen affinity
<b>Gene ID</b>	2810
<b>Applications</b>	Western Blot : 0.03-0.1ug/ml Immunohistochemistry (FFPE) : suitable ELISA (peptide) LOD : 1:16000
<b>Limitations</b>	This 14-3-3 sigma antibody is available for research use only.



Western blot testing of human skin lysate with 14-3-3 sigma antibody at 0.03ug/ml.  
Predicted molecular weight: ~28kDa.



IHC staining of FFPE human skin with 14-3-3 sigma antibody at 2ug/ml. HIER: steamed with pH9 Tris/EDTA buffer, HRP-staining.

## Description

Additional name(s) for this target protein: Stratifin; SFN

## Application Notes

Optimal dilution of the 14-3-3 sigma antibody should be determined by the researcher.

## Immunogen

Amino acids DLHTLSEDSYKDST were used as the immunogen for this 14-3-3 sigma antibody.

## Storage

Aliquot and store the 14-3-3 sigma antibody at -20oC.