
ACPP Antibody / PAP / Prostatic acid phosphatase (R34819)


Catalog No.	Formulation	Size
R34819-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Host	Goat
Clonality	Polyclonal (goat origin)
Isotype	Goat Ig
Purity	Antigen affinity
Gene ID	55
Localization	Cytoplasmic
Applications	Western Blot : 0.01-0.03ug/ml Immunohistochemistry (FFPE) : 3-5ug/ml ELISA (peptide) LOD : 1:32000
Limitations	This ACPP antibody is available for research use only.



ACPP Antibody Prostate WB. Western blot testing of human prostate lysate with ACPP antibody at 0.01ug/ml. Expected molecular weight: 45-50 kDa.



ACPP Antibody Prostate IHC. Immunohistochemistry staining of FFPE human prostate with ACPP antibody at 4ug/ml. HIER: steamed with pH6 citrate buffer, AP-staining.

Description

Additional name(s) for this target protein: Prostatic acid phosphatase, PAP, prostate acid phosphatase

Explore our Prostate Specific Acid Phosphatase Antibody / Prostate Cancer Marker Antibody page for additional validation data, prostate carcinoma IHC results, and extensive publication support.

Application Notes

Optimal dilution of the ACPP antibody should be determined by the researcher.

Immunogen

Amino acids NHMKRATQIPSYKK were used as the immunogen for this ACPP antibody.

Storage

Aliquot and store the ACPP antibody at -20oC.

Copyright © NSJ Bioreagents. All rights reserved.