



# ACPP Antibody / PAP / Prostatic acid phosphatase (R36369)

| Catalog No.  | Formulation  | Size   |
|--------------|--|--------|
| R36369-100UG | 0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide $$ | 100 ug |

### **Bulk quote request**

| Availability         | 1-3 business days  |
|----------------------|--|
| Species Reactivity   | Human  |
| Predicted Reactivity | Cow, Dog, Mouse, Rat   |
| Format               | Antigen affinity purified  |
| Clonality            | Polyclonal (goat origin)   |
| Isotype              | Goat Ig  |
| Purity               | Antigen affinity   |
| Gene ID              | 55   |
| Localization         | Cytoplasmic  |
| Applications         | Western Blot : 0.3-1ug/ml Immunohistochemistry (FFPE) : 3-5ug/ml ELISA (peptide) LOD : 1:64000 |
| Limitations          | This ACPP antibody is available for research use only.   |





IHC staining of FFPE human prostate with ACPP antibody at 4ug/ml. HIER: steamed with pH6 citrate buffer, AP-staining.

## **Description**

Additional name(s) for this target protein: Acid phosphatase, prostate

### **Application Notes**

Optimal dilution of the ACPP antibody should be determined by the researcher.

### **Immunogen**

Amino acids YGIHKQKEKSRLQ were used as the immunogen for this ACPP antibody.

### **Storage**

Aliquot and store the ACPP antibody at -20oC.