


ADCYAP1 Antibody / PACAP (F54833)


Catalog No.	Formulation	Size
F54833-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F54833-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

[Bulk quote request](#)

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
UniProt	P18509
Applications	Flow Cytometry : 1:10-1:50 (1x10e6 cells) Immunofluorescence : 1:10-1:50 Immunohistochemistry (FFPE) : 1:10-1:50 Western Blot : 1:500-1:1000
Limitations	This ADCYAP1 antibody is available for research use only.




IHC testing of FFPE human testis tissue with ADCYAP1 antibody. HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to staining.



Immunofluorescent staining human HEK293 cells with ADCYAP1 antibody (green) and DAPI nuclear stain (blue).



Western blot testing of human HEK293 cell lysate with ADCYAP1 antibody. Predicted molecular weight ~19 kDa but may be observed at up to 25 kDa.



Flow cytometry testing of human HEK293 cells with ADCYAP1 antibody; Blue=isotype control, Green= ADCYAP1 antibody.

Description

ADCYAP1 is adenylate cyclase activating polypeptide 1. Mediated by adenylate cyclase activating polypeptide 1 receptors, this polypeptide stimulates adenylate cyclase and subsequently increases the cAMP level in target cells. Adenylate cyclase activating polypeptide 1 is not only a hypophysiotropic hormone, but also functions as a neurotransmitter and neuromodulator. In addition, it plays a role in paracrine and autocrine regulation of certain types of cells. This gene encodes three different mature peptides, including two isotypes, a shorter form and a longer form.

Application Notes

The stated application concentrations are suggested starting points. Titration of the ADCYAP1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 148-176 from the human protein was used as the immunogen for the ADCYAP1 antibody.

Storage

Aliquot the ADCYAP1 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.

