


AKR1D1 Antibody / Aldo-keto reductase family 1 member D1 (RQ4911)


| Catalog No. | Formulation | Size |
|-------------|---|--------|
| RQ4911 | 0.5mg/ml if reconstituted with 0.2ml sterile DI water | 100 ug |

Bulk quote request

| Availability | 1-3 business days |
|--------------------|---|
| Species Reactivity | Human, Mouse, Rat |
| Format | Antigen affinity purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit IgG |
| Purity | Antigen affinity purified |
| Buffer | Lyophilized from 1X PBS with 2% Trehalose |
| UniProt | P51857 |
| Applications | Western Blot : 0.5-1ug/ml Flow Cytometry : 1-3ug/10^6 cells |
| Limitations | This AKR1D1 antibody is available for research use only. |



Flow cytometry testing of fixed and permeabilized human HepG2 cells with AKR1D1 antibody at 1ug/10^6 cells (blocked with goat sera); Red=cells alone, Green=isotype control, Blue= AKR1D1 antibody.



Western blot testing of 1) human HepG2, 2) human Caco-2, 3) rat liver and 4) mouse liver tissue lysate with AKR1D1 antibody at 0.5 ug/ml. Predicted molecular weight ~37 kDa.

Description

Human delta(4)-3-oxosteroid 5-beta-reductase (steroid 5-beta-reductase) catalyzes 5-beta-reduction of bile acid intermediates and steroid hormones carrying a delta(4)-3-one structure. This gene is mapped to 7q33. The enzyme encoded by this gene is responsible for the catalysis of the 5-beta-reduction of bile acid intermediates and steroid hormones carrying a delta(4)-3-one structure. Deficiency of this enzyme may contribute to hepatic dysfunction. Three transcript variants encoding different isoforms have been found for this gene. Other variants may be present, but their full-length natures have not been determined yet.

Application Notes

Optimal dilution of the AKR1D1 antibody should be determined by the researcher.

Immunogen

Amino acids EEMKDIEALNKNVRFVELLMWRDHPEYPFHDEY from the human protein were used as the immunogen for the AKR1D1 antibody.

Storage

After reconstitution, the AKR1D1 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.