


Androgen Receptor Antibody / AR [clone DHTR/4929R] (V5357)

| Catalog No. | Formulation | Size |
|----------------|---|--------|
| V5357-100UG | 0.2~mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 100 ug |
| V5357-20UG | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 20 ug |
| V5357SAF-100UG | 1 mg/ml in 1X PBS; BSA free, sodium azide free | 100 ug |


Recombinant RABBIT MONOCLONAL

Bulk quote request

| Availability | 1-3 business days |
|--------------------|---|
| Species Reactivity | Human |
| Format | Purified |
| Clonality | Recombinant Rabbit Monoclonal |
| Isotype | Rabbit IgG, kappa |
| Clone Name | DHTR/4929R |
| Purity | Protein A/G affinity |
| UniProt | P10275 |
| Localization | Nucleus |
| Applications | Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT |
| Limitations | This Androgen Receptor antibody is available for research use only. |



IHC staining of FFPE human prostate carcinoma tissue with Androgen Receptor antibody (clone DHTR/4929R). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



Description

Androgen Receptor is a member of the superfamily of ligand responsive transcription regulators. The androgen receptor functions in the nucleus where it is believed to act as a transcriptional regulator mediating the action of male sex hormones. The androgen receptor has wide distribution and can be demonstrated by immunohistochemistry in several tissues including prostate, skin, and oral mucosa. Androgen receptor has been reported in a diverse range of human tumors including osteosarcoma, and in prostatic carcinoma androgen receptor expression may be of clinical relevance.

Application Notes

Optimal dilution of the Androgen Receptor antibody should be determined by the researcher.

Immunogen

A recombinant human AR protein was used as the immunogen for the Androgen Receptor antibody.

Storage

Aliquot the Androgen Receptor antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.