
APEX2 Antibody (RQ5702)


Catalog No.	Formulation	Size
RQ5702	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Purity	Affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose and 0.025% sodium azide
UniProt	Q9UBZ4
Applications	Western blot: 0.5-1ug/ml Flow cytometry: 1-3ug/million cells Direct ELISA: 0.1-0.5ug/ml
Limitations	This APEX2 antibody is available for research use only.



Flow cytometry testing of fixed and permeabilized human HL60 cells with APEX2 antibody at 1ug/million cells (blocked with goat sera); Red=cells alone, Green=isotype control, Blue= APEX2 antibody.



Western blot testing of human 1) SH-SY5Y and 2) 293T cell lysate with APEX2 antibody. Predicted molecular weight ~57 kDa.

Description

APEX2, also called apurinic/apyrimidinic endonuclease like-2, is a member of the apurinic/apyrimidinic (AP) family of endonucleases that initiate the repair of AP sites formed by spontaneous hydrolysis of the N-glycosylic bond, mutagen-induced base release, or damaged-base excision by a DNA repair glycosylase. RT-PCR detected APEX2 expression in HeLa cells, Jurkat cells, and human kidney, brain and fetal brain tissue. The APEX2 gene is mapped to chromosome Xp11.21. APEX2 participates in both nuclear and mitochondrial base excision repair (BER) and it can play a role in processing 3-prime-damaged termini or 3-prime-mismatched nucleotides. Additionally, APEX2 displayed weaker AP site-specific and 3-prime nuclease activities compared to APEX1.

Application Notes

Optimal dilution of the APEX2 antibody should be determined by the researcher.

Immunogen

Recombinant human protein (amino acids M1-G500) was used as the immunogen for the APEX2 antibody.

Storage

After reconstitution, the APEX2 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.

Copyright © NSJ Bioreagents. All rights reserved.