


B-RAF Antibody (F50793)


Catalog No.	Formulation	Size
F50793-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F50793-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

[Bulk quote request](#)

Availability	1-3 business days
Species Reactivity	Human
Predicted Reactivity	Mouse
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Antigen affinity
UniProt	P15056
Applications	Western Blot : 1:1000 IHC (Paraffin) : 1:10-1:50
Limitations	This B-RAF antibody is available for research use only.



Western blot analysis B-RAF antibody and 293 cell lysate (2 ug/lane) either nontransfected (Lane 1) or transiently transfected with the BRAF gene (2). Predicted size 85-95 kDa



IHC analysis of FFPE human brain tissue stained with B-RAF antibody

Description

B-RAF, a member of the RAF subfamily of Ser/Thr protein kinases, is involved in the transduction of mitogenic signals from the cell membrane to the nucleus. It may play a role in the postsynaptic responses of hippocampal neurons. This cytoplasmic protein is expressed in brain and testis. Defects in BRAF are involved in a wide range of cancers including lung cancer and non-Hodgkin lymphoma (NHL). This protein contains 1 zinc-dependent phorbol-ester and DAG binding domain.

Application Notes

Titration of the B-RAF antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 379-408 from the human protein was used as the immunogen for this B-RAF antibody.

Storage

Aliquot the B-RAF antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.