



Beclin 1 Antibody (F46279)


Catalog No.	Formulation	Size
F46279-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F46279-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human, Mouse
Predicted Reactivity	Bovine, Chicken
Format	Purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Purified
UniProt	Q14457
Applications	Western Blot : 1:1000 IHC (Paraffin) : 1:50-1:100
Limitations	This Beclin 1 antibody is available for research use only.







Description

Macroautophagy is the major inducible pathway for the general turnover of cytoplasmic constituents in eukaryotic cells, it is also responsible for the degradation of active cytoplasmic enzymes and organelles during nutrient starvation. Macroautophagy involves the formation of double-membrane bound autophagosomes which enclose the cytoplasmic constituent targeted for degradation in a membrane bound structure, which then fuse with the lysosome (or vacuole) releasing a single-membrane bound autophagic bodies which are then degraded within the lysosome (or vacuole). Beclin 1 plays a role in two fundamentally important cell biological pathways: autophagy and apoptosis. Beclin 1 is thought to function as a VPS and autophagy protein as part of a complex with Class III PI3 kinase, Vps34.

Application Notes

Titration of the Beclin 1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 181-210 from the human protein was used as the immunogen for this Beclin 1 antibody.

Storage

Aliquot the Beclin 1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.