
Beta Amyloid Antibody / APP [clone APP/4469] (V5428)


Catalog No.	Formulation	Size
V5428-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V5428-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5428SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Host	Mouse
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG1, kappa
Clone Name	APP/4469
Purity	Protein A/G affinity
UniProt	P05067
Localization	Cell membrane, cytoplasm
Applications	Immunohistochemistry (FFPE): 1-2ug/ml
Limitations	This Beta Amyloid antibody is available for research use only.



IHC staining of FFPE human brain tissue with Beta Amyloid antibody (clone APP/4469). Inset: PBS used in place of primary Ab (secondary Ab negative control). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



SDS-PAGE analysis of purified, BSA-free Beta Amyloid antibody (clone APP/4469) as confirmation of integrity and purity.

Description

Proteolytic cleavage of the Amyloid protein precursor (APP) gives rise to the b-Amyloid and Amyloid A4 proteins, which are present in human platelets. Amyloid deposition is associated with type II diabetes, Down syndrome and a variety of neurological disorders, including Alzheimer s disease. The Amyloid precursor protein (APP) undergoes alternative splicing, resulting in several isoforms. Proteolytic cleavage of APP leads to the formation of the 4 kDa Amyloid b/A4 Amyloid protein. This protein is involved in the formation of neurofibrillary tangles and plaques that characterize the senile plaques of Alzheimer s patients. APLP1 (Amyloid precursor-like protein 1) and APLP2 are structurally similar to APP. Human APLP2 is a membrane-bound sperm protein that contains a region highly homologous to the transmembrane-cytoplasmic domains of APP found in brain plaques of Alzheimer s disease patients.

For a monoclonal targeting the same protein family and amyloid-associated region, see our Amyloid Beta Antibody APP/3345 / Beta Amyloid Antibody page.

Application Notes

Optimal dilution of the Beta Amyloid antibody should be determined by the researcher.

Immunogen

A portion of amino acids 1-100 of the amyloid beta protein was used as the immunogen for the Beta Amyloid antibody. This antibody recognizes an epitope in the region of amino acids 8-16 of the amyloid precursor protein.

Storage

Aliquot the Beta Amyloid antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.

Ordering: Phone: 858.663.9055 | Fax: 1.267.821.0800 | Email: info@nsjbio.com
Copyright © NSJ Bioreagents. All rights reserved.