


## Calponin 1 Antibody (F54886)


Catalog No.	Formulation	Size
F54886-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F54886-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit Ig
<b>Purity</b>	Purified
<b>UniProt</b>	P51911
<b>Localization</b>	Cytoplasmic
<b>Applications</b>	Western Blot : 1:500-1:1000 Flow Cytometry : 1:10-1:50 (1x10e6 cells) Immunohistochemistry (FFPE) : 1:10-1:50
<b>Limitations</b>	This Calponin 1 antibody is available for research use only.




Calponin 1 Antibody NCI-H292 Cell FACS. Flow cytometry testing of human NCI-H292 cells with Calponin 1 antibody; Blue=isotype control, Green= Calponin 1 antibody.



Calponin 1 Antibody Lung Carcinoma IHC. Immunohistochemistry testing of FFPE human lung carcinoma tissue with Calponin 1 antibody. HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to staining.

kDa  
72  
55  
36  
28  
17

Calponin 1 Antibody NCI-H460 WB. Western blot testing of human NCI-H460 cell lysate with Calponin 1 antibody. Predicted molecular weight ~33 kDa.



Calponin 1 Antibody HeLa and MDA-MB-453 WB. Western blot testing of human 1) HeLa and 2) MDA-MB-453 cell lysate with Calponin 1 antibody. Predicted molecular weight ~33 kDa.

## Description

CNN1 / Calponin 1 is a contractile protein expressed in smooth muscle tissues, where it plays a role in cytoskeletal organization and force generation. It is a thin filament-associated protein that is implicated in the regulation and modulation of smooth muscle contraction. It is capable of binding to actin, calmodulin, troponin C and tropomyosin. The interaction of calponin with actin inhibits the actomyosin Mg-ATPase activity (By similarity).

This Calponin 1 antibody complements a related [Calponin 1 antibody](#) targeting CNN1 and smooth muscle-associated contractile protein biology.

## Application Notes

The stated application concentrations are suggested starting points. Titration of the Calponin 1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

A portion of amino acids 10-39 from the human protein was used as the immunogen for the Calponin 1 antibody.

## Storage

Aliquot the Calponin 1 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.

