


Carbonic Anhydrase 3 Antibody / CA3 [clone CA3/7883] (V5250)


Catalog No.	Formulation	Size
V5250-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V5250-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5250SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG1, kappa
Clone Name	CA3/7883
Purity	Protein A/G affinity
UniProt	P07451
Localization	Cytoplasm
Applications	Western Blot : 1-2ug/ml Immunohistochemistry (FFPE) : 1-2ug/ml for 30 min at RT
Limitations	This Carbonic Anhydrase 3 antibody is available for research use only.



IHC staining of FFPE human skeletal muscle tissue with Carbonic Anhydrase 3 antibody (clone CA3/7883). Inset: PBS used in place of primary Ab (secondary Ab negative control). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.





Description

Carbonic anhydrases (CAs) are members of a large family of zinc metalloenzymes that catalyze the reversible hydration of carbon dioxide. CAs are involved in a variety of biological processes, including respiration, calcification, acid-base balance, bone resorption, and the formation of aqueous humor, cerebrospinal fluid, saliva, and gastric juice. They show extensive diversity in distribution and in their subcellular localization. CA III (carbonic anhydrase III), also known as Car3 or CA3, is a 260 amino acid cytoplasmic protein that is specifically expressed in muscle. Belonging to the a-carbonic anhydrase family, CA III is activated by proton donors such as imidazole and dipeptide histidylhistidine, and is inhibited by coumarins and sulfonamide derivatives such as acetazolamide.

Application Notes

Optimal dilution of the Carbonic Anhydrase 3 antibody should be determined by the researcher.

Immunogen

A recombinant fragment of human protein was used as the immunogen for the Carbonic Anhydrase 3 antibody.

Storage

Aliquot the Carbonic Anhydrase 3 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.