
CD20 Antibody [Biotin Conjugate] (R33308BTN)

Catalog No.	Formulation	Size
R33308BTN	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Biotin Conjugate
Host	Goat
Clonality	Polyclonal (goat origin)
Isotype	Goat Ig
Purity	Antigen affinity
Gene ID	931
Applications	Western Blot : 0.3-1ug/ml Immunohistochemistry (FFPE) : suitable ELISA (peptide) LOD : 1:128000
Limitations	This CD20 antibody is available for research use only.



Western blot testing of human Daudi lysate with biotinylated CD20 antibody at 0.3ug/ml. Predicted molecular weight ~33kDa. An NAP blocker was used in place of non-fat milk as blocking solution and diluent. (1)

Description

Additional name(s) for this target protein: Membrane-spanning 4-domains, subfamily A, member 1; MS4A1

Application Notes

Optimal dilution of the CD20 antibody should be determined by the researcher.

1. Do not use a blocking agent or diluent that contains biotin (including milk and some BSA preparations) when testing with biotinylated antibodies. A non-animal protein (NAP) blocker is recommended.

Immunogen

Amino acids CQDQESSPIENDSSP were used as the immunogen for this CD20 antibody.

Storage

Aliquot and store the CD20 antibody at -20oC.

Copyright © NSJ Bioreagents. All rights reserved.