CD20 Antibody [clone B9E9] (V2048CF488)

Catalog No.	Formulation	Size
V2048CF488-100T	500 ul at 0.1 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 Tests

Citations (5)

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	CF488 Conjugate
Host	Mouse
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG2a, kappa
Clone Name	B9E9
Purity	Protein G affinity chromatography
UniProt	P11836
Localization	Cell surface, cytoplasmic
Applications	Flow Cytometry : 5ul per test per one 10^6 cells in 0.1ml or 5ul per 100ul of whole blood
Limitations	This CD20 antibody is available for research use only.



Description

Recognizes a protein of 33-37kDa, identified as CD20 (Workshop V; Code CD20.12). B9E9 recognizes extracellular domain of CD20. The epitope is similar to or identical to that recognized by other CD20 antibodies including Leu-16 and B1. This MAb can be used for immunophenotyping of leukemia and malignant cells, B lymphocyte detection in peripheral blood, B cell localization in tissues and B lymphocyte purification by immunosorbent methods. CD20 is a non-Ig differentiation antigen of B-cells and its expression is restricted to normal and neoplastic B-cells, being absent from all

other leukocytes and tissues. CD20 is expressed by pre B-cells and persists during all stages of B-cell maturation but is lost upon terminal differentiation into plasma cells. Protein passes through the membrane 4 times with both ends in cytoplasm and exposes one short and one longer loop to the external environment. CD20 is not glycosylated in resting B cells and its cytoplasmic domains are differentially phosphorylated upon activation. It acts as a calcium channel involved in B-cell activation and cell cycle progression.

Application Notes

Optimal dilution of the CD20 antibody should be determined by the researcher.

Immunogen

The lymphoblastoid cell line Daudi was used as the immunogen for this CD20 antibody.

Storage

Store the CD20 antibody at 2-8oC, protected from light.

Copyright © NSJ Bioreagents. All rights reserved.