


# CD74 Antibody / CLIP [clone CLIP/7192] (V5104)


Catalog No.	Formulation	Size
V5104-100UG	0.2~mg/ml in 1X PBS with $0.1~mg/ml$ BSA (US sourced), $0.05%$ sodium azide	100 ug
V5104-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5104SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

## **Bulk quote request**


Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG1, kappa
Clone Name	CLIP/7192
Purity	Protein A/G affinity
UniProt	P04233
Localization	Cell surface, Paranuclear globular
Applications	Western Blot : 1-2ug/ml Immunohistochemistry (FFPE) : 1-2ug/ml for 30 min at RT
Limitations	This CD74 antibody is available for research use only.




IHC staining of FFPE human spleen tissue with CD74 antibody (clone CLIP/7192) at 2ug/ml. HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human tonsil tissue with CD74 antibody (clone CLIP/7192) at 2ug/ml. Inset: PBS used in place of primary Ab (secondary Ab negative control). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



Western blot testing of human Raji cell lysate with CD74 antibody (clone CLIP/7192). Expected molecular weight: 33-43 kDa.



SDS-PAGE analysis of purified, BSA-free CD74 antibody (clone CLIP/7192) as confirmation of integrity and purity.

### **Description**

CD74 is a type II transmembrane protein which binds to the peptide binding groove of newly synthesized MHC class II alpha/beta heterodimers and prevents their premature association with endogenous polypeptides.

#### **Application Notes**

Optimal dilution of the CD74 antibody should be determined by the researcher.

#### **Immunogen**

A recombinant fragment of human CD74 protein was used as the immunogen for the CD74 antibody.

#### **Storage**

Aliquot the CD74 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.