
CDK4 Antibody / Cyclin Dependent Kinase 4 [clone GIC-3] (RQ5376)

Catalog No.	Formulation	Size
RQ5376	Antibody in PBS with 0.02% sodium azide, 50% glycerol and 0.4-0.5mg/ml BSA	100 ul

Bulk quote request

Availability	1-2 weeks
Species Reactivity	Human
Format	Purified
Host	Rabbit
Clonality	Rabbit Monoclonal
Isotype	Rabbit IgG
Clone Name	GIC-3
Purity	Affinity purified
UniProt	P11802
Applications	Western blot: 1:1000-1:2000
Limitations	This CDK4 antibody is available for research use only.



Western blot testing of human HeLa cell lysate with CDK4 antibody. Predicted molecular weight ~34 kDa.

Description

The protein encoded by the CDK4 gene is a member of the Ser/Thr protein kinase family. This protein is highly similar to the gene products of S. cerevisiae cdc28 and S. pombe cdc2. It is a catalytic subunit of the protein kinase complex that is important for cell cycle G1 phase progression. The activity of this kinase is restricted to the G1-S phase, which is controlled by the regulatory subunits D-type cyclins and CDK inhibitor p16(INK4a). This kinase was shown to be responsible for the phosphorylation of retinoblastoma gene product (Rb). Mutations in this gene as well as in its related proteins including D-type cyclins, p16(INK4a) and Rb were all found to be associated with tumorigenesis of a variety of

cancers. Multiple polyadenylation sites of this gene have been reported. [RefSeq]

Application Notes

Optimal dilution of the CDK4 antibody should be determined by the researcher.

Immunogen

A synthetic peptide specific to human CDK4 was used as the immunogen for the CDK4 antibody.

Storage

Store the CDK4 antibody at -20oC.

Copyright © NSJ Bioreagents. All rights reserved.