
# CIP2A Antibody / p90 Autoantigen (N-Terminal Region) (F53977)

| Catalog No. | Formulation | Size |
|---|---|---|
| F53977-0.2ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.2 ml |
| F53977-0.05ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.05 ml |

**Bulk quote request**

| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human, Mouse |
| **Format** | Antigen affinity purified |
| **Host** | Rabbit |
| **Clonality** | Polyclonal (rabbit origin) |
| **Isotype** | Rabbit Ig |
| **Purity** | Antigen affinity |
| **UniProt** | Q8TCG1 |
| **Applications** | Western Blot : 1:1000-2000 |
| **Limitations** | This CIP2A antibody is available for research use only. |




Western blot testing of mouse brain lysate with CIP2A antibody at 1:2000. Predicted molecular weight: 102 kDa but routinely observed at 90 kDa.

## Description

Cancerous Inhibitor of Protein Phosphatase 2A is an oncoprotein that inhibits PP2A and stabilizes MYC in human malignancies. Promotes anchorage-independent cell growth and tumor formation.

## Application Notes

Titration of the CIP2A antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

A portion of amino acids 269-301 from the human protein was used as the immunogen for the CIP2A antibody.

## Storage

Aliquot the CIP2A antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.


Copyright © NSJ Bioreagents. All rights reserved.