


## CVAK104 Antibody / SCYL2 (RQ7473)


Catalog No.	Formulation	Size
RQ7473	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

**Bulk quote request**


<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit IgG
<b>Purity</b>	Antigen affinity purified
<b>Buffer</b>	Lyophilized from 1X PBS with 2% Trehalose
<b>UniProt</b>	Q6P3W7
<b>Localization</b>	Cytoplasmic
<b>Applications</b>	Western Blot : 0.5-1ug/ml Immunofluorescence : 5ug/ml Flow Cytometry : 1-3ug/million cells Direct ELISA : 0.1-0.5ug/ml
<b>Limitations</b>	This CVAK104 antibody is available for research use only.



Immunofluorescent staining of FFPE human A549 cells with CVAK104 antibody (red) and DAPI nuclear stain (blue). HIER: steam section in pH6 citrate buffer for 20 min.



Western blot testing of human 1) HeLa, 2) MCF7, 3) 293T and 4) Jurkat cell lysate with CVAK104 antibody. Predicted molecular weight ~104 kDa.



Flow cytometry testing of human U-87 MG cells with CVAK104 antibody at 1ug/million cells (blocked with goat sera); Red=cells alone, Green=isotype control, Blue= CVAK104 antibody.

## Description

SCY1-like protein 2, also called Coated vesicle-associated kinase of 104 kDa and CVAK104, is a protein that in humans is encoded by the SCYL2 gene. The protein encoded by this gene associates with clathrin-coated complexes at the plasma membrane and with endocytic coated vesicles. The encoded protein phosphorylates the beta2 subunit of the plasma membrane adapter complex AP2 and interacts with clathrin, showing involvement in clathrin-dependent pathways between the trans-Golgi network and the endosomal system. In addition, this protein has a role in the Wnt signaling pathway by targeting frizzled 5 (Fzd5) for lysosomal degradation. Two transcript variants encoding the same protein have been found for this gene.

## Application Notes

Optimal dilution of the CVAK104 antibody should be determined by the researcher.

## Immunogen

E. coli-derived recombinant human protein (amino acids E208-Q909) was used as the immunogen for the CVAK104 antibody.

## Storage

After reconstitution, the CVAK104 antibody can be stored for up to one month at 4°C. For long-term, aliquot and store at -20°C. Avoid repeated freezing and thawing.