
DDX21 Antibody / Nucleolar RNA helicase 2 (RQ6613)


Catalog No.	Formulation	Size
RQ6613	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	Q9NR30
Localization	Cytoplasmic, nuclear
Applications	Western blot: 1-2ug/ml Immunofluorescence (FFPE): 5ug/ml Flow cytometry: 1-3ug/million cells Direct ELISA: 0.1-0.5ug/ml
Limitations	This DDX21 antibody is available for research use only.



Immunofluorescent staining of FFPE human Caco-2 cells with DDX21 antibody (green) and DAPI nuclear stain (blue). HIER: steam section in pH6 citrate buffer for 20 min.



Western blot testing of human 1) Jurkat and 2) HEK293 cell lysate with DDX21 antibody. Predicted molecular weight ~86 kDa.



Flow cytometry testing of human A431 cells with DDX21 antibody at 1ug/million cells (blocked with goat sera); Red=cells alone, Green=isotype control, Blue= DDX21 antibody.

Description

Nucleolar RNA helicase 2 is an enzyme that in humans is encoded by the DDX21 gene. DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene encodes a DEAD box protein, which is an antigen recognized by autoimmune antibodies from a patient with watermelon stomach disease. This protein unwinds double-stranded RNA, folds single-stranded RNA, and may play important roles in ribosomal RNA biogenesis, RNA editing, RNA transport, and general transcription.

Application Notes

Optimal dilution of the DDX21 antibody should be determined by the researcher.

Immunogen

Recombinant human protein (amino acids E395-Q660) was used as the immunogen for the DDX21 antibody.

Storage

After reconstitution, the DDX21 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.

Ordering: Phone: 858.663.9055 | Fax: 1.267.821.0800 | Email: info@nsjbio.com
Copyright © NSJ Bioreagents. All rights reserved.