


## DDX5 Antibody (R31068)


Catalog No.	Formulation	Size
R31068	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human, Mouse, Rat
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit IgG
<b>Purity</b>	Antigen affinity
<b>Buffer</b>	Lyophilized from 1X PBS with 2.5% BSA and 0.025% sodium azide/thimerosal
<b>UniProt</b>	P17844
<b>Applications</b>	Western Blot : 0.5-1ug/ml IHC (FFPE) : 0.5-1ug/ml
<b>Limitations</b>	This DDX5 antibody is available for research use only.



Western blot testing of DDX5 antibody and Lane 1: rat testis; 2: mouse testis; 3: human HeLa; 4: (h) MCF-7; 5: (m) NIH3T3; 6: (h) SKOV; 7: (h) MM231. Predicted/observed molecular weight: ~68kDa.



IHC-P: DDX5 antibody testing of rat brain tissue

## Description

DEAD/H box 5, also known as p68, HLR1 or G17P1, is an enzyme that in humans is encoded by the DDX5 gene. It is a proliferation-associated nuclear antigen first identified through its highly specific cross-reaction with the simian virus 40 tumor antigen (Iggo et al., 1989). Subsequently, homology to eukaryotic translation initiation factor was found, and amino acid sequence blocks characteristic of a large superfamily of proteins with putative helicase activity were demonstrated. Brody et al. (1995) confirmed that this gene is located on chromosome 17 in the region of the BRCA1 gene at 17q21. By immunoprecipitation analysis, Caretti et al. (2006) found that p68 (DDX5), p72 (DDX17), and the noncoding RNA SRA (SRA1) associated with MYOD (MYOD1) in MYOD-transfected HeLa cells.

## Application Notes

The stated application concentrations are suggested starting amounts. Titration of the DDX5 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

An amino acid sequence from the C-terminus of human DEAD/H box 5 (TYQNGYDSTQQYGSN) was used as the immunogen for this DDX5 antibody (100% homologous in human, mouse and rat).

## Storage

After reconstitution, the DDX5 antibody can be stored for up to one month at 4°C. For long-term, aliquot and store at -20°C. Avoid repeated freezing and thawing.