


## Desmoglein 3 Antibody / DSG3 [clone DSG3/8613R] (V4574)

Catalog No.	Formulation	Size
V4574-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V4574-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V4574SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Recombinant **RABBIT MONOCLONAL**

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Purified
<b>Clonality</b>	Recombinant Rabbit Monoclonal
<b>Isotype</b>	Rabbit IgG, kappa
<b>Clone Name</b>	DSG3/8613R
<b>Purity</b>	Protein A/G affinity
<b>UniProt</b>	P32926
<b>Localization</b>	Cell surface
<b>Applications</b>	Immunohistochemistry (FFPE) : 1-2ug/ml for 30 min at RT
<b>Limitations</b>	This Desmoglein 3 antibody is available for research use only.



IHC staining of FFPE human skin tissue with Desmoglein 3 antibody (clone DSG3/8613R). Inset: PBS used in place of primary Ab (secondary Ab negative control).  
HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



SDS-PAGE analysis of purified, BSA-free Desmoglein 3 antibody (clone DSG3/8613R) as confirmation of integrity and purity.

## Description

Recognizes a protein of 130kDa, identified as Desmoglein-3 (DSG3). This mAb is highly specific to Desmoglein-3 and does not cross-react with other members of the Desmoglein-family. DSG3 is a calcium-binding transmembrane glycoprotein component of desmosomes in vertebrate epithelial cells. Desmosomes are cell-cell junctions between epithelial, myocardial, and certain other cell types. Currently, three desmoglein subfamily members are identified and all are members of the cadherin cell adhesion molecule superfamily.

## Application Notes

Optimal dilution of the Desmoglein 3 antibody should be determined by the researcher.

## Immunogen

A recombinant partial protein sequence (within amino acids 300-500) from the human protein was used as the immunogen for the Desmoglein 3 antibody.

## Storage

Aliquot the Desmoglein 3 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.