


## EpCAM Antibody (R35320)

Catalog No.	Formulation	Size
R35320-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal (goat origin)
<b>Isotype</b>	Goat Ig
<b>Purity</b>	Antigen affinity
<b>Gene ID</b>	4072
<b>Applications</b>	Western Blot : 0.03-0.1ug/ml ELISA (peptide) LOD : 1:128000
<b>Limitations</b>	This EpCAM antibody is available for research use only.



Western blot testing of CACO-2 lysate with EpCAM antibody at 0.03ug/ml. Expected molecular weight: ~35 kDa (unmodified), 40-43 kDa (glycosylated).

### Description

Additional name(s) for this target protein: Epithelial cell adhesion molecule, TROP1

### Application Notes

Optimal dilution of the EpCAM antibody should be determined by the researcher.

### Immunogen

Amino acids QKEITTRYQLDPK were used as the immunogen for this EpCAM antibody.

## **Storage**

Aliquot and store the EpCAM antibody at -20oC.