
ERCC1 Antibody (RQ4019)

Catalog No.	Formulation	Size
RQ4019	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose and 0.025% sodium azide
UniProt	P07992
Applications	Western Blot: 0.5-1ug/ml Direct ELISA: 0.1-0.5ug/ml
Limitations	This ERCC1 antibody is available for research use only.



ERCC1 Antibody Mouse Rat Stomach WB. Western blot testing of 1) rat stomach and 2) mouse stomach lysate with ERCC1 antibody at 0.5ug/ml. Predicted molecular weight: 25-36 kDa (multiple isoforms).

Description

ERCC1 Antibody detects DNA excision repair protein ERCC-1, a protein that in humans is encoded by the ERCC1 gene. The product of this gene functions in the nucleotide excision repair pathway, and is required for the repair of DNA lesions such as those induced by UV light or formed by electrophilic compounds including cisplatin. The encoded protein forms a heterodimer with the XPF endonuclease (also known as ERCC4), and the heterodimeric endonuclease catalyzes the 5' incision in the process of excising the DNA lesion. The heterodimeric endonuclease is also involved in recombinational DNA repair and in the repair of inter-strand crosslinks. Mutations in this gene result in cerebrooculofacioskeletal

syndrome, and polymorphisms that alter expression of this gene may play a role in carcinogenesis. Multiple transcript variants encoding different isoforms have been found for this gene. The last exon of this gene overlaps with the CD3e molecule, epsilon associated protein gene on the opposite strand.

For broader detection of ERCC1 as a DNA repair marker, see our ERCC1 antibody.

Application Notes

Optimal dilution of the ERCC1 antibody should be determined by the researcher.

Immunogen

A recombinant human partial protein corresponding to amino acids E203-V296 was used as the immunogen for the ERCC1 antibody.

Storage

After reconstitution, the ERCC1 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.

Copyright © NSJ Bioreagents. All rights reserved.