
FABP2 Antibody (R33789)


Catalog No.	Formulation	Size
R33789-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human
Predicted Reactivity	Mouse, Rat, Dog, Pig, Cow
Format	Antigen affinity purified
Host	Goat
Clonality	Polyclonal (goat origin)
Isotype	Goat Ig
Purity	Antigen affinity
Gene ID	2169
Localization	Cytoplasmic
Applications	Western Blot : 0.001-0.1ug/ml Immunohistochemistry (FFPE) : 2-3ug/ml ELISA (peptide) LOD : 1:64000
Limitations	This FABP2 antibody is available for research use only.



Western blot testing of HEK293 lysate overexpressing FABP2 with FABP2 antibody [mock transfection in lane 1]. Predicted molecular weight: ~15 kDa.



IHC staining of FFPE human small intestine with FABP2 antibody at 2.5ug/ml. HIER: steamed with pH6 citrate buffer, AP-staining.



FABP2 Antibody Duodenum WB. Western blot of human duodenum lysate with FABP2 antibody at 0.001ug/ml. Predicted molecular weight: ~15 kDa.

Description

Additional name(s) for this target protein: Fatty acid binding protein 2

Researchers seeking a broadly validated FABP2 antibody for intestinal epithelial biology and lipid absorption studies may also be interested in our HuProt-validated FABP2 antibody clone FABP2/6344, supported by western blot, immunohistochemistry, and protein microarray specificity data.

Application Notes

Optimal dilution of the FABP2 antibody should be determined by the researcher.

Immunogen

Amino acids EGVEAKRIFKKD were used as the immunogen for this FABP2 antibody.

Storage

Aliquot and store the FABP2 antibody at -20oC.

Ordering: Phone: 858.663.9055 | Fax: 1.267.821.0800 | Email: info@nsjbio.com
Copyright © NSJ Bioreagents. All rights reserved.