


## FATP-3 Antibody / ACSVL3 / SLC27A3 (RQ7704)


| Catalog No. | Formulation                                           | Size   |
|-------------|-------------------------------------------------------|--------|
| RQ7704      | 0.5mg/ml if reconstituted with 0.2ml sterile DI water | 100 ug |

**Bulk quote request**


|                           |                                                                                                    |
|---------------------------|----------------------------------------------------------------------------------------------------|
| <b>Availability</b>       | 1-3 business days                                                                                  |
| <b>Species Reactivity</b> | Human, Mouse                                                                                       |
| <b>Format</b>             | Antigen affinity purified                                                                          |
| <b>Host</b>               | Rabbit                                                                                             |
| <b>Clonality</b>          | Polyclonal (rabbit origin)                                                                         |
| <b>Isotype</b>            | Rabbit IgG                                                                                         |
| <b>Purity</b>             | Antigen affinity purified                                                                          |
| <b>Buffer</b>             | Lyophilized from 1X PBS with 2% Trehalose                                                          |
| <b>UniProt</b>            | Q5K4L6                                                                                             |
| <b>Localization</b>       | Cytoplasmic                                                                                        |
| <b>Applications</b>       | Western Blot : 0.5-1ug/ml<br>Immunohistochemistry (FFPE) : 2-5ug/ml<br>Direct ELISA : 0.1-0.5ug/ml |
| <b>Limitations</b>        | This FATP-3 antibody is available for research use only.                                           |



IHC staining of FFPE human colorectal adenocarcinoma tissue with FATP-3 antibody.  
HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human esophageal squamous carcinoma tissue with FATP-3 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



Western blot testing of 1) human MCF7, 2) human HaCaT and 3) mouse NIH 3T3 cell lysate with FATP-3 antibody. Predicted molecular weight ~74 kDa.

## Description

Long-chain fatty acid transport protein 3 is a protein that in humans is encoded by the SLC27A3 gene. This gene belongs to a family of integral membrane proteins and encodes a protein that is involved in lipid metabolism. The increased expression of this gene in human neural stem cells derived from induced pluripotent stem cells suggests that it plays an important role in early brain development. Naturally occurring mutations in this gene are associated with autism spectrum disorders. Alternative splicing results in multiple transcript variants.

## Application Notes

Optimal dilution of the FATP-3 antibody should be determined by the researcher.

## Immunogen

E. coli-derived recombinant human protein (amino acids L192-I683) was used as the immunogen for the FATP-3 antibody.

## Storage

After reconstitution, the FATP-3 antibody can be stored for up to one month at 4°C. For long-term, aliquot and store at -20°C. Avoid repeated freezing and thawing.