


## FBP17 Antibody (R34594)


Catalog No.	Formulation	Size
R34594-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

**Bulk quote request**


<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Predicted Reactivity</b>	Mouse, Rat, Dog, Pig, Cow
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal (goat origin)
<b>Isotype</b>	Goat Ig
<b>Purity</b>	Antigen affinity
<b>UniProt</b>	Q96RU3
<b>Gene ID</b>	23048
<b>Localization</b>	Cytoplasmic
<b>Applications</b>	Western Blot : 0.25-2ug/ml IHC (FFPE) : 3.75ug/ml ELISA (peptide) LOD : 1:32000
<b>Limitations</b>	This FBP17 antibody is available for research use only.



Western blot testing of human testis lysate with FBP17 antibody at 0.25ug/ml. Predicted molecular weight: ~71 kDa.



IHC testing of FFPE human tonsil tissue with FBP17 antibody at 3.75ug/ml. Required HIER: steamed antigen retrieval with pH6 citrate buffer; AP-staining.



IHC testing of FFPE human small intestine tissue with FBP17 antibody at 3.75ug/ml. Required HIER: steamed antigen retrieval with pH6 citrate buffer; AP-staining.

## Description

Additional name(s) for this target protein: Formin-binding protein 17, Formin binding protein 1; FNBP1

## Application Notes

Optimal dilution of the FBP17 antibody should be determined by the researcher.

## Immunogen

Amino acids KQLESSKRRFERDC were used as the immunogen for this FBP17 antibody.

## Storage

Aliquot and store the FBP17 antibody at -20oC.