

# Gastrin Antibody [clone GAST/2633] (V7796)

Catalog No.	Formulation	Size
V7796-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	100 ug
V7796-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	20 ug
V7796SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

## **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG2c, kappa
Clone Name	GAST/2633
Purity	Protein G affinity chromatography
UniProt	P01350
Localization	Cytoplasmic, secreted
Applications	ELISA (order BSA-free Format For Coating) :
Limitations	This Gastrin antibody is available for research use only.



### **Description**

Gastrin, is a hormone that normally formed by mucosal cells in the gastric antrum and by the D cells of the pancreatic islets. Its primary function is to stimulate secretion of HCl by the gastric mucosa. HCl, in turn, inhibits gastrin formation. It

also responsible for stimulating smooth muscle contraction and increasing blood circulation and water secretion in the stomach and intestine. Gastrin is regulated by epidermal growth factor in both mice and humans. Gastrin is excreted in excess by pancreatic tumors in the Zollinger-Ellison syndrome. Gastrin-Releasing Peptide (GRP) stimulates the release of gastrin as well as other gastrointestinal hormones and also acts as an autocrine growth factor for certain cell types. High levels of GRP are found in the human lung just after birth and levels decrease thereafter in parallel with the observed disease in a number of pulmonary neuroendocrine cells. GRP is known to promote lung tumorigenesis in model systems.

#### **Application Notes**

Optimal dilution of the Gastrin antibody should be determined by the researcher.

#### **Immunogen**

A recombinant full-length human GAST protein was used as the immunogen for this Gastrin antibody.

#### **Storage**

Store the Gastrin antibody at 2-8oC (with azide) or aliquot and store at -20oC or colder (without azide).