

GLUL Antibody / Glutamine Synthetase [clone GLUL/6604] (V8954)


Catalog No.	Formulation	Size
V8954-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V8954-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V8954SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

[Bulk quote request](#)


Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Host	Mouse
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG2b, kappa
Clone Name	GLUL/6604
Purity	Protein A/G affinity
UniProt	P15104
Localization	Cytoplasm
Applications	Western Blot : 1-2ug/ml Immunohistochemistry (FFPE) : 1-2ug/ml
Limitations	This GLUL antibody is available for research use only.




Western blot testing of human Y79 cell lysate using GLUL antibody (clone GLUL/6604).
Predicted molecular weight ~42 kDa.



Western blot testing of human liver tissue using GLUL antibody (clone GLUL/6604).
Predicted molecular weight ~42 kDa.



IHC staining of FFPE human liver tissue with GLUL antibody (clone GLUL/6604) at 2ug/ml. HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



SDS-PAGE analysis of purified, BSA-free GLUL antibody (GLUL/6604) as confirmation of integrity and purity.

Description

Glutamine synthetase (Gl Syn) forms a homo-octamer that serves as a catalyst for the amination of glutamic acid to form glutamine. This enzyme is a marker for astrocytes, which serve as the primary site of conversion of glutamic acid to glutamine in the brain. Induction of glutamine synthetase is seen upon astrocyte cell contact with neurons. Elevated expression of glutamine synthetase in glial cells has been shown to protect neurons from degeneration due to excess glutamate. Glutamine synthetase is also present in the liver and is involved in nitrogen homeostasis. Overexpression of glutamine synthetase has been shown in primary liver cancers, indicating a potential role for glutamine synthetase in hepatocyte transformation.

Application Notes

Optimal dilution of the Glutamine Synthetase antibody should be determined by the researcher.

Immunogen

A portion of amino acids 50-250 was used as the immunogen for the GLUL antibody.

Storage

Aliquot the GLUL antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.

