



# GSTM4 Antibody / Glutathione S-Transferase mu 4 (R36474)

| Catalog No.  | Formulation   | Size   |
|--------------|---|--------|
| R36474-100UG | 0.5~mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide | 100 ug |

## **Bulk quote request**

| Availability       | 1-3 business days  |
|--------------------|--|
| Species Reactivity | Human, Mouse, Rat  |
| Format             | Antigen affinity purified                                  |
| Clonality          | Polyclonal (goat origin)                                   |
| Isotype            | Goat Ig  |
| Purity             | Antigen affinity   |
| UniProt            | Q03013   |
| Applications       | Western Blot : 0.1-0.3ug/ml ELISA (peptide) LOD : 1:128000 |
| Limitations        | This GSTM4 antibody is available for research use only.    |





Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two distinct supergene families. At present, eight distinct classes of the soluble cytoplasmic mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. The mu class of enzymes functions in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. [Wiki]

#### **Application Notes**

Optimal dilution of the GSTM4 antibody should be determined by the researcher.

#### **Immunogen**

Amino acids DVSNQLARVCYSPD were used as the immunogen for this GSTM4 antibody.

### **Storage**

Aliquot and store the GSTM4 antibody at -20oC.