


## H-FABP Antibody / Heart type fatty acid binding protein / FABP3 [clone FABP3/3770] (V5694)


Catalog No.	Formulation	Size
V5694-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V5694-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5694SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

### Bulk quote request

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Purified
<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal (mouse origin)
<b>Isotype</b>	Mouse IgG1, kappa
<b>Clone Name</b>	FABP3/3770
<b>Purity</b>	Protein G affinity
<b>UniProt</b>	P05413
<b>Localization</b>	Cytoplasm
<b>Applications</b>	Immunohistochemistry (FFPE) : 1-2ug/ml Western Blot : 2-4ug/ml
<b>Limitations</b>	This H-FABP antibody is available for research use only.



IHC staining of FFPE human heart tissue with PSAP antibody (clone FABP3/3770). Inset: PBS used in place of primary Ab (secondary Ab negative control). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



Western blot testing of human heart tissue lysate with H-FABP antibody (clone FABP3/3770). Predicted molecular weight ~14 kDa.

## Description

The intracellular fatty acid-binding proteins (FABPs) belongs to a multigene family. FABPs are divided into at least three distinct types, namely the hepatic-, intestinal- and cardiac-type. They form 14-15 kDa proteins and are thought to participate in the uptake, intracellular metabolism and/or transport of long-chain fatty acids. They may also be responsible in the modulation of cell growth and proliferation. Fatty acid-binding protein 3 gene contains four exons and its function is to arrest growth of mammary epithelial cells. This gene is a candidate tumor suppressor gene for human breast cancer. Alternative splicing results in multiple transcript variants.

## Application Notes

Optimal dilution of the H-FABP antibody should be determined by the researcher.

## Immunogen

A human partial recombinant protein (from within amino acids 1-127) was used as the immunogen for the H-FABP antibody.

## Storage

Aliquot the H-FABP antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.