


HKDC1 Antibody (R32256)

| Catalog No. | Formulation | Size |
|-------------|---|--------|
| R32256 | 0.5mg/ml if reconstituted with 0.2ml sterile DI water | 100 ug |

Bulk quote request

| Availability | 1-3 business days |
|--------------------|---|
| Species Reactivity | Human |
| Format | Antigen affinity purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit IgG |
| Purity | Antigen affinity |
| Buffer | Lyophilized from 1X PBS with 2.5% BSA and 0.025% sodium azide |
| UniProt | Q2TB90 |
| Applications | Western Blot : 0.1-0.5ug/ml |
| Limitations | This HKDC1 antibody is available for research use only. |



Description

HKDC1 (hexokinase domain containing 1) is a protein that belongs to the hexokinase family and functions to catalyze the ATP-dependent conversion of D-hexose to D-hexose 6-phosphate.

Application Notes

Optimal dilution of the HKDC1 antibody should be determined by the researcher.

Immunogen

Amino acids KRHVQMESQFYPTPNEIIRGNGTELFEYVADCLAD of human HKDC1 were used as the immunogen for the

HKDC1 antibody.

Storage

After reconstitution, the HKDC1 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.