

## HLA-DRA Antibody / Major histocompatibility complex class II DR alpha chain [clone MSVA-470R] (V6084)

| Catalog No. | Formulation   | Size   |
|-------------|---|--------|
| V6084-100UG | Antibody in 1X PBS with 0.05% BSA, 0.05% sodium azide | 100 ug |
| V6084-20UG  | Antibody in 1X PBS with 0.05% BSA, 0.05% sodium azide | 20 ug  |

Recombinant **RABBIT MONOCLONAL**

[Bulk quote request](#)

|                           |  |
|---------------------------|--|
| <b>Species Reactivity</b> | Human  |
| <b>Format</b>             | Purified   |
| <b>Host</b>               | Rabbit   |
| <b>Clonality</b>          | Recombinant Rabbit Monoclonal  |
| <b>Isotype</b>            | Rabbit IgG, kappa  |
| <b>Clone Name</b>         | MSVA-470R  |
| <b>UniProt</b>            | P01903   |
| <b>Localization</b>       | Cell membrane  |
| <b>Applications</b>       | Immunohistochemistry (FFPE) : 1-2ug/ml   |
| <b>Limitations</b>        | This HLA-DRA/Major histocompatibility complex class II DR alpha chain antibody is available for research use only. |

### Application Notes

- Optimal dilution of the HLA-DRA/Major histocompatibility complex class II DR alpha chain antibody should be determined by the researcher.
- This HLA-DRA/Major histocompatibility complex class II DR alpha chain antibody is recombinantly produced by expression in human HEK293 cells.

### Immunogen

A recombinant fragment (around amino acids 1-200) of human HLA-DR protein (exact sequence is proprietary) was used as the immunogen for the HLA-DRA/Major histocompatibility complex class II DR alpha chain antibody.

### Storage

HLA-DRA/Major histocompatibility complex class II DR alpha chain antibody with sodium azide - store at 2 to 8oC;  
antibody without sodium azide - store at -20 to -80oC.

