
ICAM1 Antibody / CD54 (R35983)


Catalog No.	Formulation	Size
R35983-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human, Mouse
Format	Antigen affinity purified
Host	Goat
Clonality	Polyclonal (goat origin)
Isotype	Goat Ig
Purity	Antigen affinity
Gene ID	3383
Applications	Western blot: 2-4ug/ml ELISA (peptide) LOD: 1:1000
Limitations	This ICAM1 antibody is available for research use only.



Western blot testing of human HeLa lysate with ICAM1 antibody at 2ug/ml. Predicted molecular weight: ~58/75-115 kDa (unmodified/glycosylated).



Western blot testing of human 1) HeLa and 2) Daudi lysate with ICAM1 antibody at 2ug/ml. Predicted molecular weight: ~58/75-115 kDa (unmodified/glycosylated).



Western blot testing of mouse NIH3T3 lysate with ICAM1 antibody at 2ug/ml. Predicted molecular weight: ~58/75-115 kDa (unmodified/glycosylated).

Description

Additional name(s) for this target protein: Intercellular adhesion molecule 1; CD54

For an alternative monoclonal targeting ICAM1/CD54, see our ICAM1 Antibody ICAM1/6319 / Cell Adhesion Molecule Antibody page.

Application Notes

Optimal dilution of the ICAM1 antibody should be determined by the researcher.

Immunogen

Amino acids SNCPDGQSTAKT were used as the immunogen for this ICAM1 antibody. The amino acid sequence used as immunogen is from the extracellular portion of the protein.

Storage

Aliquot and store the ICAM1 antibody at -20oC.

Copyright © NSJ Bioreagents. All rights reserved.