


IL-22 Antibody (R32874)

Catalog No.	Formulation	Size
R32874	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

[Bulk quote request](#)

Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity
Buffer	Lyophilized from 1X PBS with 2.5% BSA, 0.025% sodium azide
UniProt	Q9GZX6
Localization	Secreted
Applications	Western Blot : 0.5-1ug/ml
Limitations	This IL-22 antibody is available for research use only.



Western blot testing of 1) human HeLa, 2) human placenta, 3) rat thymus and 4) mouse thymus lysate with IL-22 antibody at 0.5ug/ml. Observed molecular weight: 19~25 kDa depending on glycosylation level.

Description

Interleukin-22 (IL-22), also known as ILTIF, is a protein that in humans is encoded by the IL22 gene. IL-22 is a member of a group of cytokines called the IL-10 family or IL-10 superfamily, a class of potent mediators of cellular inflammatory responses. Using FISH, the IL22 gene is mapped to chromosome 12q15, close to the IFNG and the herpesvirus saimiri-induced AK155 genes. IL-22 can contribute to immune disease through the stimulation of inflammatory responses, S100s and defensins. It also promotes hepatocyte survival in the liver and epithelial cells in the lung and gut similar to IL-10. In

some contexts, the pro-inflammatory versus tissue-protective functions of IL-22 are regulated by the often co-expressed cytokine IL-17A.

Application Notes

Optimal dilution of the IL-22 antibody should be determined by the researcher.

Immunogen

Amino acids DDLHIQRNVQKLKDTVKKLGESGEIKAIGELDLLFMSLRNA were used as the immunogen for the IL-22 antibody.

Storage

After reconstitution, the IL-22 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.