


## IP10 Antibody / CXCL10 [clone AACI-3] (RQ5015)

Catalog No.	Formulation	Size
RQ5015	Antibody in PBS with 0.02% sodium azide, 50% glycerol and 0.4-0.5mg/ml BSA	100 ul

[Bulk quote request](#)

<b>Availability</b>	1-2 weeks
<b>Species Reactivity</b>	Human
<b>Format</b>	Purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Rabbit Monoclonal
<b>Isotype</b>	Rabbit IgG
<b>Clone Name</b>	AACI-3
<b>Purity</b>	Affinity purified
<b>UniProt</b>	P02778
<b>Applications</b>	Western Blot : 1:500-1:2000
<b>Limitations</b>	This IP10 antibody is available for research use only.



Western blot testing with IP10 antibody. Predicted molecular weight: 8-11 kDa.

### Description

This antimicrobial gene encodes a chemokine of the CXC subfamily and ligand for the receptor CXCR3. Binding of this protein to CXCR3 results in pleiotropic effects, including stimulation of monocytes, natural killer and T-cell migration, and modulation of adhesion molecule expression. [RefSeq]

### Application Notes

Optimal dilution of the IP10 antibody should be determined by the researcher.

## **Immunogen**

A synthetic peptide specific to human IP10 / CXCL10 was used as the immunogen for the IP10 antibody.

## **Storage**

Store the IP10 antibody at -20oC.