


## IRF3 Antibody [clone PCRP-IRF3-6H10] (V9345)

| Catalog No.    | Formulation   | Size   |
|----------------|---|--------|
| V9345-100UG    | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 100 ug |
| V9345-20UG     | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 20 ug  |
| V9345SAF-100UG | 1 mg/ml in 1X PBS; BSA free, sodium azide free                          | 100 ug |

[Bulk quote request](#)

|                           |  |
|---------------------------|--|
| <b>Availability</b>       | 1-3 business days  |
| <b>Species Reactivity</b> | Human  |
| <b>Format</b>             | Purified   |
| <b>Host</b>               | Mouse  |
| <b>Clonality</b>          | Monoclonal (mouse origin)                                |
| <b>Isotype</b>            | Mouse IgG1, kappa  |
| <b>Clone Name</b>         | PCRP-IRF3-6H10   |
| <b>Purity</b>             | Protein A/G affinity                                     |
| <b>UniProt</b>            | Q14653   |
| <b>Localization</b>       | Cytoplasm, Nucleus                                       |
| <b>Applications</b>       | Immunofluorescence : 1-2ug/ml<br>Western Blot : 1-2ug/ml |
| <b>Limitations</b>        | This IRF3 antibody is available for research use only.   |



SDS-PAGE analysis of purified, BSA-free IRF3 antibody (PCRP-IRF3-6H10) as confirmation of integrity and purity.

## Description

Interferon regulatory factor 3 is a key transcriptional regulator of type I interferon (IFN)-dependent immune responses

which plays a critical role in the innate immune response against DNA and RNA viruses. [UniProt]

## **Application Notes**

Optimal dilution of the IRF3 antibody should be determined by the researcher.

## **Immunogen**

Recombinant full-length human IRF3 protein was used as the immunogen for the IRF3 antibody.

## **Storage**

Aliquot the IRF3 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.