


## KIAA1429 Antibody / VIRMA (RQ6817)


Catalog No.	Formulation	Size
RQ6817	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

[Bulk quote request](#)


<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit IgG
<b>Purity</b>	Antigen affinity purified
<b>Buffer</b>	Lyophilized from 1X PBS with 2% Trehalose
<b>UniProt</b>	Q69YN4
<b>Localization</b>	Nuclear, cytoplasmic
<b>Applications</b>	Western Blot : 1-2ug/ml Immunohistochemistry (FFPE) : 2-5ug/ml Immunofluorescence (FFPE) : 5ug/ml Direct ELISA : 0.1-0.5ug/ml
<b>Limitations</b>	This KIAA1429 antibody is available for research use only.




IHC staining of FFPE human breast cancer tissue with KIAA1429 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human bladder epithelial carcinoma tissue with KIAA1429 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



Western blot testing of human 1) PC-3, 2) SK-O-V3, 3) K562 and 4) HEL cell lysate with KIAA1429 antibody. Predicted molecular weight ~202 kDa.



Immunofluorescent staining of FFPE human U-2 OS cells with KIAA1429 antibody.

## Description

VIRMA (Vir Like M6A Methyltransferase Associated) is a Protein Coding gene. Diseases associated with VIRMA include Wilms Tumor 1. Among its related pathways are Chromatin Regulation/Acetylation.

## Application Notes

Optimal dilution of the KIAA1429 antibody should be determined by the researcher.

## Immunogen

Recombinant human protein (amino acids F11-K1529) was used as the immunogen for the KIAA1429 antibody.

## Storage

After reconstitution, the KIAA1429 antibody can be stored for up to one month at 4°C. For long-term, aliquot and store at -20°C. Avoid repeated freezing and thawing.