
# L1CAM Antibody SPM275 / L1 cell adhesion molecule [clone SPM275] (V8835)

| Catalog No. | Formulation | Size |
|---|---|---|
| V8835-100UG | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 100 ug |
| V8835-20UG | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 20 ug |
| V8835SAF-100UG | 1 mg/ml in 1X PBS; BSA free, sodium azide free | 100 ug |

**Bulk quote request**

| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human |
| **Format** | Purified |
| **Host** | Mouse |
| **Clonality** | Monoclonal (mouse origin) |
| **Isotype** | Mouse IgG1, kappa |
| **Clone Name** | SPM275 |
| **Purity** | Protein A/G affinity |
| **UniProt** | P32004 |
| **Localization** | Cell Surface |
| **Applications** | ELISA (order BSA-free Format For Coating) : |
| **Limitations** | This L1CAM Antibody SPM275 is available for research use only. |




L1CAM Antibody SPM275 Gel Run. SDS-PAGE analysis of purified, BSA-free L1CAM Antibody clone SPM275 as confirmation of integrity and purity.

## Description

L1CAM Antibody SPM275 recognizes a cell surface protein of 220-240kDa, identified as L1 cell adhesion molecule. The

L1CAM gene, which is located in Xq28, is involved in three distinct conditions: 1) HSAS (hydrocephalus-stenosis of the aqueduct of Sylvius); 2) MASA (mental retardation, aphasia, shuffling gait, and adducted thumbs); and 3) SPG1 (spastic paraplegia). The L1, neural cell adhesion molecule (L1CAM) also plays an important role in axon growth, fasciculation, and neural migration as well as in mediating neuronal differentiation. Expression of L1 protein is restricted to tissues arising from neuroectoderm. This MAb is useful in the identification of primitive neuroectodermal tumors. It binds to tumors of neuroectodermal and glial origin e.g. neuroblastoma and Schwannomas. It does not bind to pediatric or adult brain.

Also known as CD171, NCAM-L1 and Neural Cell Adhesion Molecule L1, L1CAM is a cell adhesion protein involved in neuronal migration, axon development and nervous system function; additional target information is available on our L1CAM Antibody page.

## Application Notes

Optimal dilution of the L1CAM Antibody SPM275 should be determined by the researcher.

## Immunogen

Homogenous suspension of 16-week human fetal brain cells were used as the immunogen for the L1CAM antibody.

## Storage

Aliquot the L1CAM antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.


Copyright © NSJ Bioreagents. All rights reserved.