


## MBP Antibody / Myelin basic protein [clone rMBP/9431] (V5763)

Catalog No.	Formulation	Size
V5763-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V5763-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5763SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Recombinant **MOUSE MONOCLONAL**

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Purified
<b>Clonality</b>	Recombinant Mouse Monoclonal
<b>Isotype</b>	Mouse IgG2b, kappa
<b>Clone Name</b>	rMBP/9431
<b>Purity</b>	Protein G affinity
<b>UniProt</b>	P02686
<b>Localization</b>	Cell membrane, Myelin membrane
<b>Applications</b>	Immunohistochemistry (FFPE) : 1-2ug/ml Western Blot : 2-4ug/ml
<b>Limitations</b>	This MBP antibody is available for research use only.



IHC staining of FFPE human brain tissue with MBP antibody (clone rMBP/9431). Inset: PBS used in place of primary Ab (secondary Ab negative control). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



Western blot testing of human brain tissue lysate with MBP antibody (clone rMBP/9431).  
Predicted molecular weight: ~22 kDa, ~33 kDa (two isoforms).

## Description

Myelin basic protein (MBP) is the second most abundant protein in central nervous system (CNS) myelin: it comprises 30% of the total protein and about 10% of the dry weight of myelin. It is the only structural protein found so far to be essential for formation of CNS myelin, and has been called the executive molecule of myelin. MBP can interact with a number of polyanionic proteins including actin, tubulin, calmodulin, and clathrin, and negatively charged lipids, and acquires structure on binding to them. It may act as a membrane actin-binding protein, which might allow it to participate in transmission of extracellular signals to the cytoskeleton in oligodendrocytes and tight junctions in myelin. MBP may be applicable as a marker for oligodendrogliomas.

## Application Notes

Optimal dilution of the MBP antibody should be determined by the researcher.

## Immunogen

A portion of amino acids 1-100 from human Myelin basic protein was used as the immunogen for the MBP antibody.

## Storage

Aliquot the MBP antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.