MSLN Antibody / Mesothelin [clone MKPF-1] (V3821)

Catalog No.	Formulation	Size
V3821-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	100 ug
V3821-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	20 ug
V3821SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Purified
Host	Mouse
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG2b, kappa
Clone Name	MKPF-1
Purity	Protein G affinity
UniProt	Q13421
Localization	Cytoplasmic, cell surface, secreted
Applications	IHC (FFPE) : 1-2ug/ml for 30 min at RT
Limitations	This MSLN antibody is available for research use only.



IHC testing of FFPE human lung mesothelioma with MSLN antibody (clone MKPF-1). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min.



IHC testing of FFPE rat stomach with MSLN antibody (clone MKPF-1). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min.

Description

Mesothelin is a 40kDa glycosyl-phosphatidylinositol-anchored glycoprotein cleaved from a 69kDa precursor protein. Mesothelin immunoreactivity is high in cancers of the ovary (serous papillary, endometrioid and undifferentiated) and pancreas, with less frequent staining seen in adenocarcinomas of the endometrium, lung and stomach/esophagus. Mesothelin is one of the most sensitive markers for mesothelioma.

This Mesothelin antibody is part of a broader Mesothelin antibody panel offered by NSJ Bioreagents.

Application Notes

Optimal dilution of the MSLN antibody should be determined by the researcher.

Immunogen

A portion of amino acids 273-407 from the human protein was used as the immunogen for this MSLN antibody.

Storage

After reconstitution, the MSLN antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.