

NCAM-L1 Antibody / L1CAM / CD171 (RQ6774)

Catalog No.	Formulation	Size
RQ6774	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	P32004
Applications	Western Blot : 1-2ug/ml Direct ELISA : 0.1-0.5ug/ml
Limitations	This NCAM-L1 antibody is available for research use only.



Western blot testing of human HeLa cell lysate with NCAM-L1 antibody. Expected molecular weight of glycosylated protein is 200-240 kDa.

Description

L1, also known as L1CAM, is a transmembrane protein member of the L1 protein family, encoded by the L1CAM gene. The protein encoded by this gene is an axonal glycoprotein belonging to the immunoglobulin supergene family. The ectodomain, consisting of several immunoglobulin-like domains and fibronectin-like repeats (type III), is linked via a single transmembrane sequence to a conserved cytoplasmic domain. This cell adhesion molecule plays an important role in nervous system development, including neuronal migration and differentiation. Mutations in the gene cause X-linked neurological syndromes known as CRASH (corpus callosum hypoplasia, retardation, aphasia, spastic paraplegia and hydrocephalus). Alternative splicing of this gene results in multiple transcript variants, some of which include an alternate

exon that is considered to be specific to neurons.

Application Notes

Optimal dilution of the NCAM-L1 antibody should be determined by the researcher.

Immunogen

Recombinant human protein (amino acids I20-L242) was used as the immunogen for the NCAM-L1 antibody.

Storage

After reconstitution, the NCAM-L1 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.