


## NFATC3 Antibody / NFAT4 (R34255)

Catalog No.	Formulation	Size
R34255-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Predicted Reactivity</b>	Dog, Cow
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal (goat origin)
<b>Isotype</b>	Goat Ig
<b>Purity</b>	Antigen affinity
<b>Gene ID</b>	4775
<b>Applications</b>	Western Blot : 0.3-1.0ug/ml ELISA (peptide) LOD : 1:16000
<b>Limitations</b>	This NFATC3 antibody is available for research use only.



Western blot testing of Jurkat nuclear lysate with NFATC3 antibody at 0.03ug/ml. Predicted molecular weight: ~116 kDa but can be observed at 140~150 kDa due to phosphorylation.

### Description

Additional name(s) for this target protein: Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 3, NFAT4

### Application Notes

Optimal dilution of the NFATC3 antibody should be determined by the researcher.

## **Immunogen**

Amino acids HQELDAHEDDLQIN were used as the immunogen for this NFATC3 antibody.

## **Storage**

Aliquot and store the NFATC3 antibody at -20oC.