
# NFATC4 Antibody (R35901)

| Catalog No. | Formulation | Size |
|---|---|---|
| R35901-100UG | 0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide | 100 ug |

**Bulk quote request**

| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human |
| **Predicted Reactivity** | Mouse, Rat, Dog, Pig |
| **Format** | Antigen affinity purified |
| **Host** | Goat |
| **Clonality** | Polyclonal (goat origin) |
| **Isotype** | Goat Ig |
| **Purity** | Antigen affinity |
| **Gene ID** | 4776 |
| **Localization** | Nuclear, cytoplasmic |
| **Applications** | Immunohistochemistry (FFPE) : 3-6ug/ml<br>ELISA (peptide) LOD : 1:16000 |
| **Limitations** | This NFATC4 antibody is available for research use only. |



IHC testing of FFPE human placenta with NFATC4 antibody at 4ug/ml. HIER: steamed with pH6 citrate buffer, AP-staining.

## Description

Additional name(s) for this target protein: Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 4; NFAT3

## Application Notes

Optimal dilution of the NFATC4 antibody should be determined by the researcher.

1. This NFATC4 antibody will detect isoforms 2/3/4/5.

## Immunogen

Amino acids SGFPAPPGEEPPA were used as the immunogen for this NFATC4 antibody.

## Storage

Aliquot and store the NFATC4 antibody at -20oC.


Copyright © NSJ Bioreagents. All rights reserved.