


NONO Antibody (R34895)


Catalog No.	Formulation	Size
R34895-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide	100 ug

[Bulk quote request](#)


Availability	1-3 business days
Species Reactivity	Human, Mouse
Predicted Reactivity	Dog, Rat
Format	Antigen affinity purified
Clonality	Polyclonal (goat origin)
Isotype	Goat Ig
Purity	Antigen affinity
UniProt	Q15233
Gene ID	4841
Localization	Nuclear
Applications	Western Blot : 0.1-0.3ug/ml Immunohistochemistry (FFPE) : 3-6ug/ml ELISA (peptide) LOD : 1:16000
Limitations	This NONO antibody is available for research use only.




IHC staining of FFPE human spleen using NONO antibody at 3.8ug/ml. HIER: steamed with pH6 citrate buffer, AP-staining.



Western blot testing of mouse brain lysate with NONO antibody at 0.1ug/ml. Predicted molecular weight: ~54 kDa.



Western blot of HEK293 lysate overexpressing human NONO probed with NONO antibody (mock transfection in lane 1). Predicted molecular weight: ~54 kDa.



IHC staining of FFPE human testis using NONO antibody at 3.8ug/ml. HIER: steamed with pH6 citrate buffer, AP-staining.

Description

Additional name(s) for this target protein: p54NRB, Non-POU domain containing octamer-binding

Application Notes

Optimal dilution of the NONO antibody should be determined by the researcher.

Immunogen

Amino acids NRAAPGAEFAPNK were used as the immunogen for this NONO antibody.

Storage

Aliquot and store the NONO antibody at -20oC.