
# NUP50 Antibody 29N20 / Nuclear pore complex protein Nup50 [clone 29N20] (RQ8759)

| Catalog No. | Formulation | Size |
|---|---|---|
| RQ8759 | Antibody in PBS with 0.02% sodium azide, 50% glycerol and 0.4-0.5mg/ml BSA | 100 ul |


Recombinant RABBIT MONOCLONAL

**Bulk quote request**


| | |
|---|---|
| **Availability** | 1-3 days |
| **Species Reactivity** | Human, Mouse, Rat |
| **Format** | Purified |
| **Host** | Rabbit |
| **Clonality** | Recombinant Rabbit Monoclonal |
| **Isotype** | Rabbit IgG |
| **Clone Name** | 29N20 |
| **Purity** | Affinity chromatography |
| **UniProt** | Q9UKX7 |
| **Applications** | Western Blot : 1:500-1:2000 |
| **Limitations** | This NUP50 Antibody 29N20 is available for research use only. |





Western blot testing of human 1) HEK 293, 2) ThP-1 and 3) A673 cell lysate with NUP50 Antibody 29N20. Expected molecular weight: 50-60 kDa.





Western blot testing of human 1) HeLa, 2) Jurkat, 3) HePG2, 4) MCF7 and 5) SH-SY5Y cell lysate with NUP50 Antibody 29N20. Expected molecular weight: 50-60 kDa.




Western blot testing of human HeLa cell lysate with NUP50 Antibody 29N20. Expected molecular weight: 50-60 kDa.




Western blot testing of mouse ovary tissue lysate with NUP50 antibody. Expected molecular weight: 50-60 kDa.




Western blot testing of rat ovary tissue lysate with NUP50 antibody. Expected molecular weight: 50-60 kDa.

## Description

Component of the nuclear pore complex that has a direct role in nuclear protein import. [UniProt]

For an alternative antibody targeting the same nuclear transport protein, see our NUP50 Antibody (FY12436), a rabbit polyclonal antibody validated for WB, IHC, and IF in human and rodent samples.

## Application Notes

Optimal dilution of the NUP50 Antibody 29N20 should be determined by the researcher.

## Immunogen

A synthetic peptide specific to human Nuclear pore complex protein Nup50 was used as the immunogen for the NUP50 Antibody 29N20.

## Storage

Store the NUP50 Antibody 29N20 at -20oC.

## Alternate Names

Nucleoporin 50 antibody, Nuclear Pore Complex Protein Nup50 antibody, Nucleoporin 50 kDa antibody, Nuclear Pore Protein Nup50 antibody, NPAP60 antibody, Nucleoporin 50 Protein antibody

Copyright © NSJ Bioreagents. All rights reserved.